

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/037,977	11/09/2001	David A. Nicholas	1273 CIP CON FWC CON 1065 III	
7590 05/28/2004			EXAMINER	
United States Surgical, a division of TYCO HEALTHCARE GROUP LP			WEBB, SARAH K	
150 Glover Ave			ART UNIT	PAPER NUMBER
Norwalk, CT 06856			3731	

DATE MAILED: 05/28/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	· · · · · · · · · · · · · · · · · · ·				
	Application No.	Applicant(s)			
	10/037,977	NICHOLAS ET AL.			
Office Action Summary	Examiner	Art Unit			
	Sarah K Webb	3731			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 25 M	arch 2002.				
•— •	action is non-final.				
3) Since this application is in condition for allowar					
Disposition of Claims					
4) Claim(s) 46-55 is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 46-55 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or	wn from consideration.				
9) The specification is objected to by the Examine					
10) The drawing(s) filed on is/are: a) □ accepted or b) □ objected to by the Examiner.					
Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	ion is required if the drawing(s) is ob	jected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicat rity documents have been receive u (PCT Rule 17.2(a)).	ion No ed in this National Stage			
Attachment(s) 1) ☑ Notice of References Cited (PTO-892) 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) ☑ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 3/25/02.	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:				

Application/Control Number: 10/037,977 Page 2

Art Unit: 3731

DETAILED ACTION

Information Disclosure Statement

1. The information disclosure statement filed 3/25/02 fails to comply with 37 CFR 1.98(a)(3) because it does not include a concise explanation of the relevance, as it is presently understood by the individual designated in 37 CFR 1.56(c) most knowledgeable about the content of the information, of each patent listed that is not in the English language. It has been placed in the application file, but the information referred to therein has not been considered.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

2. Claims 46-55 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-43 of U.S. Patent No. 5,383,888. Although the conflicting claims are not identical, they are not patentably distinct from each other because the application simply excludes some of the limitations of the '888 patent claims and names parts differently from the '888 patent claims. The

Art Unit: 3731

application and '888 patent are claiming the same structure of Figures 1-10. The applicant simply does not claim the pinion gear and gear rack. This is an obvious modification to the claims.

Claim Rejections - 35 USC § 112

3. Claim 54 is rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for one paddle, does not reasonably provide enablement for two cooperating "paddles." The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make the invention commensurate in scope with these claims. Claim 46 sets forth the limitation that there are two cooperating jaws in line 9, which reads on the embodiment in Figures 1-10 of the disclosure. Claim 54 states that the jaws are formed as paddles. A paddle is only included in a separate embodiment in Figure 16-19, where there is only one paddle.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 4. Claims 46-48, 51-53, and 55 are rejected under 35 U.S.C. 102(b) as being anticipated by US Patent No. 4,880,015 (Nierman).

Nierman discloses an instrument that includes a handle portion (43,44), elongated tube (45), articulating portion (54 in Figure 7), tool head with two cooperating

Application/Control Number: 10/037,977 Page 4

Art Unit: 3731

jaws (46), a link to pivot the articulation portion (56 in Figure 7), and an actuation member (47) to open and close the jaws. The actuation member is a flexible cable (column 7, line 63). The jaws can be described as "graspers." The handle portion (see Figure 11) includes a fixed handle (43) and a movable handle (42) that is connected to the link (56) by a "rod" (48) (column 8, lines 51-65). The articulating portion can pivot 90 degrees (column 8, lines 64). As shown clearly in Figure 7, the tubular shaft (45) includes a longitudinal slot (65) at the distal end for accommodating the articulating portion.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sarah K Webb whose telephone number is (703) 605-1176. The examiner can normally be reached on Mon-Fri 8-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, McDermott or Shaver can be reached on (703) 308-0858. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/037,977 Page 5

Art Unit: 3731

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SKW 05/25/04

DAVID O. REIP